




Monthly Environmental Monitoring Report

For the Month Ending 31 March 2023

Name of Operation	Moolarben Coal Complex
Name of License Holder	Moolarben Coal Operations Pty Ltd
Premises	Moolarben Coal Mine 12 Ulan-Wollar Rd, Ulan NSW 2850
Environmental Protection Licence Number	12932
EPL Link	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEONotice.aspx?DOCID=-1&SYSUID=1&LICID=1625135
Premises	Moolarben Coal Mine
Reporting Period	1 March 2023 to 31 March 2023
Date last sampled data obtained	16 April 2023
Publication Date	20 April 2023
Version	1
Author	C.Fourie
Approver	R.Shanks

EPL 12932 MCO Environmental Monitoring Network



Concentration Monitoring Summary

Air Quality Monitoring

EPL ID	Location	Pollutant	Unit of Measure	EPL Monitoring Frequency	No. of Samples collected and analysed annually	12 mth rolling average			Annual concentration limit	Exceedance (Yes/No)
						Min Value	Mean Value	Max Value		
16	PM01	PM10	µg/m ³	Every 6 days	5	8.0	8.0	8.1	25	No
N/A	PM02	PM10	µg/m ³	N/A	5	7.0	7.1	7.3	25	No
15	TEOM 6	PM10	µg/m ³	Continuous	98.9%	11.9	12.2	12.5	N/A	N/A
17	TEOM 1	PM10	µg/m ³	Continuous	100%	11.7	12.0	12.1	25	No
27	TEOM 7	PM10	µg/m ³	Continuous	97.8%	7.2	7.5	7.7	25	No
27	TEOM 7	PM2.5	µg/m ³	Continuous	97.8%	3.7	3.8	3.9	8	No
N/A	TEOM 4	PM10	µg/m ³	N/A	100%	11.0	11.2	11.3	25	No

EPL ID	Location	Pollutant	Unit of Measure	EPL Monitoring Frequency	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	24 Hr concentration limit	Exceedance (Yes/No)
16	PM01	PM10	µg/m ³	Every 6 days	5	5.6	11.8	17.7	50	No
N/A	PM02	PM10	µg/m ³	N/A	5	3.9	9.9	18.0	50	No
15	TEOM 6	PM10	µg/m ³	Continuous (24 Hr Average)	96.8%	8.8	19.6	44.7	N/A	N/A
17	TEOM 1	PM10	µg/m ³	Continuous (24 Hr Average)	100%	10.4	17.8	32	50	No
27	TEOM 7	PM10	µg/m ³	Continuous (24 Hr Average)	100%	5.3	12.1	25.9	50	No
27	TEOM 7	PM2.5	µg/m ³	Continuous (24 Hr Average)	100%	3.1	5.7	13.9	25	No
N/A	TEOM 4	PM10	µg/m ³	N/A (24 Hr Average)	100%	6.2	16.1	30.3	50	No

Surface Water Quality Monitoring

EPL ID	Location	Pollutant	Unit of Measure	No. of Samples collected and analysed	Date Sampled	Results
N/A	SW01	Conductivity	µS/cm	1	14/03/2023	564
		pH	pH	1	14/03/2023	7.8
		Total Suspended Solids	mg/L	1	14/03/2023	<5
N/A	SW02	Conductivity	µS/cm	1	14/03/2023	571
		pH	pH	1	14/03/2023	7.9
		Total Suspended Solids	mg/L	1	14/03/2023	<5
N/A	SW04	Conductivity	µS/cm	1	15/03/2023	**
		pH	pH	1	15/03/2023	**
		Total Suspended Solids	mg/L	1	15/03/2023	**
N/A	SW05	Conductivity	µS/cm	1	14/03/2023	322
		pH	pH	1	14/03/2023	7.5
		Total Suspended Solids	mg/L	1	14/03/2023	18
N/A	SW07	Conductivity	µS/cm	1	14/03/2023	1090
		pH	pH	1	14/03/2023	7.9
		Total Suspended Solids	mg/L	1	14/03/2023	<5
N/A	SW08	Conductivity	µS/cm	1	14/03/2023	1420
		pH	pH	1	14/03/2023	7.1
		Total Suspended Solids	mg/L	1	14/03/2023	6
N/A	SW09	Conductivity	µS/cm	1	14/03/2023	883
		pH	pH	1	14/03/2023	7.6
		Total Suspended Solids	mg/L	1	14/03/2023	<5
N/A	SW12	Conductivity	µS/cm	1	14/03/2023	299
		pH	pH	1	14/03/2023	7.5
		Total Suspended Solids	mg/L	1	14/03/2023	31
N/A	SW15	Conductivity	µS/cm	1	15/03/2023	**
		pH	pH	1	15/03/2023	**
		Total Suspended Solids	mg/L	1	15/03/2023	**
N/A	SW16	Conductivity	µS/cm	1	15/03/2023	**
		pH	pH	1	15/03/2023	**

MONTHLY ENVIRONMENTAL MONITORING REPORT

For the Month Ending 31 March 2023

EPL ID	Location	Pollutant	Unit of Measure	No. of Samples collected and analysed	Date Sampled	Results
		Total Suspended Solids	mg/L	1	15/03/2023	**
N/A	SW17	Conductivity	µS/cm	1	15/03/2023	*
		pH	pH	1	15/03/2023	*
		Total Suspended Solids	mg/L	1	15/03/2023	*
N/A	SW18	Conductivity	µS/cm	1	15/03/2023	*
		pH	pH	1	15/03/2023	*
		Total Suspended Solids	mg/L	1	15/03/2023	*
N/A	SW22	Conductivity	µS/cm	1	14/03/2023	539
		pH	pH	1	14/03/2023	7.98
		Total Suspended Solids	mg/L	1	14/03/2023	<5
N/A	SW23	Conductivity	µS/cm	1	14/03/2023	*
		pH	pH	1	14/03/2023	*
		Total Suspended Solids	mg/L	1	14/03/2023	*
N/A	SW24	Conductivity	µS/cm	1	14/03/2023	*
		pH	pH	1	14/03/2023	*
		Total Suspended Solids	mg/L	1	14/03/2023	*

NOTE: * Dry, ** No flow

Blasting

	Location	Pollutant	Unit of Measure	Frequency	No. of Blasts during the reporting period	Results			Limits dBL	Exceedance (Yes/No)
						Min Value	Mean Value	Max Value		
49	BM1 Ulan School	Blast Overpressure	dBL	Every Blast	15	84.5	91.1	101.1	115 (95% of Blasts) 120 (100% of Blasts)	No
		Ground Vibration	mm/s	Every Blast		0.05	0.09	0.15	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No
N/A	BM5 Ridge Rd	Blast Overpressure	dBL	Every Blast	15	82.5	93.2	109.9	115 (95% of Blasts) 120 (100% of Blasts)	No
		Ground Vibration	mm/s	Every Blast		0.06	0.13	0.34	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No
N/A	BM8 Moolarben Rd	Blast Overpressure	dBL	Every Blast	15	83.6	95.3	103.8	115 (95% of Blasts) 120 (100% of Blasts)	No
		Ground Vibration	mm/s	Every Blast		0.02	0.06	0.14	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No

Noise

EPL ID	Location	Site ID	Monitoring Type	Frequency	Measured Level ^{1,2,3,6} LAeq dB (15min)	Measured Level ^{1,2,3,6} LA1,1dB (1min)	Noise Criteria ⁴	Monitoring Completed during the period	Exceedance (Yes/No) ⁵
44	Ulan Public School	NA1	Compliance - Attended	Monthly	IA	IA	Daytime (07:00 – 18:00) LAeq,15minute: 35 dB	Yes	NA
N/A	Cope Road (Receiver 258)	NA11	Management - Attended	Quarterly	-	-	-	No	-
N/A	Lagoons Road	NA2	Validation - Attended	Annually	-	-	-	No	-
42	Winchester Crescent	NA12	Compliance/Validation - Attended	Monthly	IA	IA	Night time (22:00 – 07:00) LAeq,15minute: 35 dB LA1,1minute: 45 dB	Yes	No
N/A	Upper Ridge Road (Receiver 176)	NA3	Validation - Attended	Annually	-	-	-	No	-
40, 41	Lower Ridge Road	NA6	Compliance -Attended	Monthly	IA	IA	Night time (22:00 – 07:00) LAeq,15minute: 37 dB LA1,1minute: 45 dB	Yes	No
N/A	Moolarben Road (Receiver 28)	NA10	Validation - Attended	Annually	-	-	-	No	-
46	Goulburn River National Park	GRNP	Compliance -Attended	Annually	-	-	All periods LAeq,15minute: 50 dB	No	-
46	Munghorn Gap Nature Reserve	MGNR	Compliance -Attended	Annually	-	-	All periods LAeq,15minute: 50 dB	No	-

1. NA indicates meteorological conditions during the measurement did not correspond with any modelled meteorological conditions, and were not applicable for comparison
2. IA is Inaudible. When site only noise is noted as IA, there was no noise from the source of interest audible at the monitoring location
3. Site-only noise levels attributed to MCO, including modifying factors where applicable
4. As detailed in the EPL, noise emission limits apply under all meteorological conditions except:
 - Wind speeds greater than 3 m/s at 10 metres above ground level; or
 - Stability class F temperature inversion conditions, and wind speeds greater than 2 m/s at 10 metres above ground level; or
 - Stability class G temperature inversions
5. NA in last column means atmospheric conditions outside those specified in EPL, therefore criterion was not applicable

6. Effluent Discharge Points

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Date Sampled	Result
5	BOD	mg/L	Quarterly	*	*	*
	Nitrogen (total)	mg/L	Quarterly	*	*	*
	Oil and Grease	mg/L	Quarterly	*	*	*
	pH	pH	Quarterly	*	*	*
	Phosphorus (total)	mg/L	Quarterly	*	*	*
	Total Suspended Solids	mg/L	Quarterly	*	*	*
22	BOD	mg/L	Quarterly	*	*	*
	Nitrogen (total)	mg/L	Quarterly	*	*	*
	Oil and Grease	mg/L	Quarterly	*	*	*
	pH	pH	Quarterly	*	*	*
	Phosphorus (total)	mg/L	Quarterly	*	*	*
	Total Suspended Solids	mg/L	Quarterly	*	*	*
23	BOD	mg/L	Quarterly	*	*	*
	Nitrogen (total)	mg/L	Quarterly	*	*	*
	Oil and Grease	mg/L	Quarterly	*	*	*
	pH	pH	Quarterly	*	*	*
	Phosphorus (total)	mg/L	Quarterly	*	*	*
	Total Suspended Solids	mg/L	Quarterly	*	*	*
48	BOD	mg/L	Quarterly	1	14/03/2023	74
	Nitrogen (total)	mg/L	Quarterly	1	14/03/2023	18
	Oil and Grease	mg/L	Quarterly	1	14/03/2023	11
	pH	pH	Quarterly	1	14/03/2023	7
	Phosphorus (total)	mg/L	Quarterly	1	14/03/2023	5.4
	Total Suspended Solids	mg/L	Quarterly	1	14/03/2023	235

* Sample taken in the month of February

Discharge Points

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	100%ile concentration limit	Exceedance (Yes/No)
1	Conductivity	µS/cm	Continuous during discharge	Continuous during discharge	170.0	211.2	347.0	685	No
	Oil and Grease	mg/L	Weekly during discharge	4	<5	<5	<5	10	No
	pH	pH	Continuous during discharge	Continuous during discharge	6.8	7.1	7.8	6.5-8.5	No
	Total Suspended Solids	mg/L	Weekly during discharge	4	<1	<1	<1	50	No
	Turbidity	NTU	Continuous during discharge	Continuous during discharge	0	0.2	5.0	25	No
	Discharge Volume	Megalitres per day	Continuous during discharge	Continuous during discharge	0.02	13.1	14.9	15	No
2	Conductivity	µS/cm	Continuous during discharge	No licensed discharges during the period				685	NA
	Oil and Grease	mg/L	Daily during discharge					10	NA
	pH	pH	Continuous during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Continuous during discharge					25	NA
	Discharge Volume	Megalitres per day	Continuous during discharge						NA
24	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
26	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA

MONTHLY ENVIRONMENTAL MONITORING REPORT

For the Month Ending 31 March 2023

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	100%ile concentration limit	Exceedance (Yes/No)
	Turbidity	NTU	Daily during discharge					25	NA
28	Conductivity	µS/cm	Continuous during discharge	No licensed discharges during the period				685	NA
	Oil and Grease	mg/L	Daily during discharge					10	NA
	pH	pH	Continuous during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Continuous during discharge					25	NA
	Discharge Volume	Kilolitres per day	Continuous during discharge						NA
29	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
31	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
35	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
51	pH	pH	Daily during discharge	No licensed discharges during the period				6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
53	pH	pH	Daily during discharge	No licensed discharges during the period				NA	NA
	Total Suspended Solids	mg/L	Daily during discharge					NA	NA
	Turbidity	NTU	Daily during discharge					NA	NA
	Discharge Volume	Megalitres per day	Continuous during discharge					30*	No
54	pH	pH	Daily during discharge	No licensed discharges during the period				NA	NA
	Total Suspended Solids	mg/L	Daily during discharge					NA	NA
	Turbidity	NTU	Daily during discharge					NA	NA

MONTHLY ENVIRONMENTAL MONITORING REPORTFor the Month Ending 31 March 2023

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	100%ile concentration limit	Exceedance (Yes/No)
	Discharge Volume	Megalitres per day	Continuous during discharge					20*	No

*until 7am on 19 January 2022