




Monthly Environmental Monitoring Report

For the Month Ending 31 May 2022

Name of Operation	Moolarben Coal Complex
Name of License Holder	Moolarben Coal Operations Pty Ltd
Premises	Moolarben Coal Mine 12 Ulan-Wollar Rd, Ulan NSW 2850
Environmental Protection Licence Number	12932
EPL Link	https://apps.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=228352&SYSUID=1&LICID=12932
Premises	Moolarben Coal Mine
Reporting Period	1 May 2022 to 31 May 2022
Date last sampled data obtained	16 June 2022
Publication Date	24 June 2022
Version	1
Author	M. Yeatman
Approver	T. Cini

EPL 12932 MCO Environmental Monitoring Network



Concentration Monitoring Summary

Air Quality Monitoring

EPL ID	Location	Pollutant	Unit of Measure	EPL Monitoring Frequency	No. of Samples collected and analysed annually	12 mth rolling average			Annual concentration limit	Exceedance (Yes/No)
						Min Value	Mean Value	Max Value		
16	PM01	PM10	µg/m ³	Every 6 days	5	6.8	6.9	7.1	25	No
N/A	PM02	PM10	µg/m ³	N/A	5	7.2	7.3	7.5	25	No
15	TEOM 6	PM10	µg/m ³	Continuous	98.7%	10.7	10.9	11.1	25	No
17	TEOM 1	PM10	µg/m ³	Continuous	97.4%	11.9	12	12.1	25	No
27	TEOM 7	PM10	µg/m ³	Continuous	97.4%	7.4	7.6	7.7	25	No
27	TEOM 7	PM2.5	µg/m ³	Continuous	97.4%	3.9	3.9	4	8	No
N/A	TEOM 4	PM10	µg/m ³	N/A	98.7%	11.2	11.3	11.4	25	No

EPL ID	Location	Pollutant	Unit of Measure	EPL Monitoring Frequency	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	24 Hr concentration limit	Exceedance (Yes/No)
16	PM01	PM10	µg/m ³	Every 6 days	5	4.4	6.9	8.8	50	No
N/A	PM02	PM10	µg/m ³	N/A	5	4.2	6.4	9.9	50	No
15	TEOM 6	PM10	µg/m ³	Continuous (24 Hr Average)	93.5%	5.9	9.2	16.5	50	No
17	TEOM 1	PM10	µg/m ³	Continuous (24 Hr Average)	100%	5.2	9.9	17.8	50	No
27	TEOM 7	PM10	µg/m ³	Continuous (24 Hr Average)	100%	2.2	4.8	7.7	50	No
27	TEOM 7	PM2.5	µg/m ³	Continuous (24 Hr Average)	100%	1.1	2.7	4.8	25	No
N/A	TEOM 4	PM10	µg/m ³	N/A (24 Hr Average)	100%	3.1	8.1	12.5	50	No

Surface Water Quality Monitoring

EPL ID	Location	Pollutant	Unit of Measure	No. of Samples collected and analysed	Date Sampled	Results
N/A	SW01	Conductivity	µS/cm	1	03/05/2022	701
		pH	pH	1	03/05/2022	7.8
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW02	Conductivity	µS/cm	1	03/05/2022	708
		pH	pH	1	03/05/2022	7.9
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW04	Conductivity	µS/cm	1	03/05/2022	245
		pH	pH	1	03/05/2022	6.8
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW05	Conductivity	µS/cm	1	03/05/2022	926
		pH	pH	1	03/05/2022	7.6
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW07	Conductivity	µS/cm	1	03/05/2022	1820
		pH	pH	1	03/05/2022	7.9
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW08	Conductivity	µS/cm	1	03/05/2022	829
		pH	pH	1	03/05/2022	7.5
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW09	Conductivity	µS/cm	1	03/05/2022	564
		pH	pH	1	03/05/2022	7.0
		Total Suspended Solids	mg/L	1	03/05/2022	11
N/A	SW12	Conductivity	µS/cm	1	03/05/2022	712
		pH	pH	1	03/05/2022	7.5
		Total Suspended Solids	mg/L	1	03/05/2022	10
N/A	SW15	Conductivity	µS/cm	1	03/05/2022	131
		pH	pH	1	03/05/2022	7.7
		Total Suspended Solids	mg/L	1	03/05/2022	26
N/A	SW16	Conductivity	µS/cm	1	03/05/2022	134
		pH	pH	1	03/05/2022	7.3

MONTHLY ENVIRONMENTAL MONITORING REPORTFor the Month Ending 31 May 2022

EPL ID	Location	Pollutant	Unit of Measure	No. of Samples collected and analysed	Date Sampled	Results
		Total Suspended Solids	mg/L	1	03/05/2022	5
N/A	SW17	Conductivity	µS/cm	1	03/05/2022	324
		pH	pH	1	03/05/2022	6.4
		Total Suspended Solids	mg/L	1	03/05/2022	6
N/A	SW18	Conductivity	µS/cm	1	03/05/2022	194
		pH	pH	1	03/05/2022	7.0
		Total Suspended Solids	mg/L	1	03/05/2022	5

MONTHLY ENVIRONMENTAL MONITORING REPORT

For the Month Ending 31 May 2022

Blasting

	Location	Pollutant	Unit of Measure	Frequency	No. of Blasts during the reporting period	Results			Limits dBL	Exceedance (Yes/No)
						Min Value	Mean Value	Max Value		
49	BM1 Ulan School	Blast Overpressure	dBL	Every Blast	12	88.6	98.5	116.2	115 (95% of Blasts) 120 (100% of Blasts)	No
		Ground Vibration	mm/s	Every Blast		0.1	0.2	0.4	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No
N/A	BM5 Ridge Rd	Blast Overpressure	dBL	Every Blast	12	87.3	97.8	124.1*	115 (95% of Blasts) 120 (100% of Blasts)	Yes
		Ground Vibration	mm/s	Every Blast		0.1	0.3	0.9	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No
N/A	BM8 Moolarben Rd	Blast Overpressure	dBL	Every Blast	12	84.8	96.8	105.3	115 (95% of Blasts) 120 (100% of Blasts)	No
		Ground Vibration	mm/s	Every Blast		0.04	0.1	0.6	5mm/s (95% of Blasts) 10mm/s (100% of Blasts)	No

*Reported to DPE and EPA on 23/05/22

MONTHLY ENVIRONMENTAL MONITORING REPORT

For the Month Ending 31 May 2022

Noise

EPL ID	Location	Site ID	Monitoring Type	Frequency	Measured Level ^{1,2,3,6} LAeq dB (15min)	Measured Level ^{1,2,3,6} LA1,1dB (1min)	Noise Criteria ⁴	Monitoring Completed during the period	Exceedance (Yes/No) ⁵
44	Ulan Public School	NA1	Compliance - Attended	Monthly	IA	IA	Daytime (07:00 – 18:00) LAeq,15minute: 35 dB	Yes	No
N/A	Cope Road (Receiver 258)	NA11	Management - Attended	Quarterly	IA	IA	-	Yes	No
N/A	Lagoons Road	NA2	Validation - Attended	Annually	34	38	-	Yes	No
42	Winchester Crescent	NA12	Compliance/Validation - Attended	Monthly	22	24	Night time (22:00 – 07:00) LAeq,15minute: 35 dB LA1,1minute: 45 dB	Yes	No
N/A	Upper Ridge Road (Receiver 176)	NA3	Validation - Attended	Annually	22	24	-	Yes	No
40, 41	Lower Ridge Road	NA6	Compliance -Attended	Monthly	23	26	Night time (22:00 – 07:00) LAeq,15minute: 37 dB LA1,1minute: 45 dB	Yes	No
N/A	Moolarben Road (Receiver 28)	NA10	Validation - Attended	Annually	34	40	-	Yes	No
46	Goulburn River National Park	GRNP	Compliance -Attended	Annually	IA	IA	All periods LAeq,15minute: 50 dB	Yes	No
46	Munghorn Gap Nature Reserve	MGNR	Compliance -Attended	Annually	IA	IA	All periods LAeq,15minute: 50 dB	Yes	No

1. NA indicates meteorological conditions during the measurement did not correspond with any modelled meteorological conditions, and were not applicable for comparison
2. IA is Inaudible. When site only noise is noted as IA, there was no noise from the source of interest audible at the monitoring location
3. Site-only noise levels attributed to MCO, including modifying factors where applicable
4. As detailed in the EPL, noise emission limits apply under all meteorological conditions except:
 - Wind speeds greater than 3 m/s at 10 metres above ground level; or
 - Stability class F temperature inversion conditions, and wind speeds greater than 2 m/s at 10 metres above ground level; or
 - Stability class G temperature inversions
5. NA in last column means atmospheric conditions outside those specified in EPL, therefore criterion was not applicable
6. NM in Not Measurable. When site noise is noted as NM, this means some noise was audible but could not be quantified.

Effluent Discharge Points

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Date Sampled	Result
5	BOD	mg/L	Quarterly	1	25/05/2022	30
	Nitrogen (total)	mg/L	Quarterly	1	25/05/2022	81.7
	Oil and Grease	mg/L	Quarterly	1	25/05/2022	5
	pH	pH	Quarterly	1	25/05/2022	7.96
	Phosphorus (total)	mg/L	Quarterly	1	25/05/2022	9.38
	Total Suspended Solids	mg/L	Quarterly	1	25/05/2022	58
22	BOD	mg/L	Quarterly	0	*	*
	Nitrogen (total)	mg/L	Quarterly	0	*	*
	Oil and Grease	mg/L	Quarterly	0	*	*
	pH	pH	Quarterly	0	*	*
	Phosphorus (total)	mg/L	Quarterly	0	*	*
	Total Suspended Solids	mg/L	Quarterly	0	*	*
23	BOD	mg/L	Quarterly	1	25/05/2022	3
	Nitrogen (total)	mg/L	Quarterly	1	25/05/2022	6.2
	Oil and Grease	mg/L	Quarterly	1	25/05/2022	5
	pH	pH	Quarterly	1	25/05/2022	7.54
	Phosphorus (total)	mg/L	Quarterly	1	25/05/2022	0.47
	Total Suspended Solids	mg/L	Quarterly	1	25/05/2022	47
48	BOD	mg/L	Quarterly	1	25/05/2022	92
	Nitrogen (total)	mg/L	Quarterly	1	25/05/2022	6.2
	Oil and Grease	mg/L	Quarterly	1	25/05/2022	5
	pH	pH	Quarterly	1	25/05/2022	7.2
	Phosphorus (total)	mg/L	Quarterly	1	25/05/2022	0.25
	Total Suspended Solids	mg/L	Quarterly	1	25/05/2022	162

* sample taken in the month of June

Discharge Points

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	100%ile concentration limit	Exceedance (Yes/No)
1	Conductivity	µS/cm	Continuous during discharge	Continuous during discharge	167	268.3	372	685	No
	Oil and Grease	mg/L	Weekly during discharge	4	<2	<2	<2	10	No
	pH	pH	Continuous during discharge	Continuous during discharge	6.9	7.2	7.4	6.5-8.5	No
	Total Suspended Solids	mg/L	Weekly during discharge	4	<1	<1	<1	50	No
	Turbidity	NTU	Continuous during discharge	Continuous during discharge	0	0	0	25	No
	Discharge Volume	Megalitres per day	Continuous during discharge	Continuous during discharge	1.7	3	5.3	15*	No
2	Conductivity	µS/cm	Continuous during discharge	No licensed discharges during the period				685	NA
	Oil and Grease	mg/L	Daily during discharge					10	NA
	pH	pH	Continuous during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Continuous during discharge					25	NA
	Discharge Volume	Megalitres per day	Continuous during discharge						NA
24	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
26	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA

MONTHLY ENVIRONMENTAL MONITORING REPORT

For the Month Ending 31 May 2022

EPL ID	Pollutant	Unit of Measure	No. of samples required by Licence	No. of Samples collected and analysed	Min Value	Mean Value	Max Value	100%ile concentration limit	Exceedance (Yes/No)
28	Conductivity	µS/cm	Continuous during discharge	No licensed discharges during the period				685	NA
	Oil and Grease	mg/L	Daily during discharge					10	NA
	pH	pH	Continuous during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Continuous during discharge					25	NA
	Discharge Volume	Kilolitres per day	Continuous during discharge						NA
29	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
31	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
35	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA
51	Oil and Grease	mg/L	Daily during discharge	No licensed discharges during the period					NA
	pH	pH	Daily during discharge					6.5-8.5	NA
	Total Suspended Solids	mg/L	Daily during discharge					50	NA
	Turbidity	NTU	Daily during discharge					25	NA

*As per the SWMP V5 October 2020 as operations have commenced in UG4 the daily discharge volume limit has increased to 15 ML/d.